

Metabolic resolution and its predictive factors after bariatric surgery: 5-year outcomes

Kanittha Sakolprakaikit, MD,¹; Kamthorn Yolsuriyanwong, MD,¹; Siripong Cheewatanakornkul, MD,¹;

Piyanun Wangkulangkul, MD, Ph.D., ¹; Rattana Leelawattana, MD, ²; Pirun Saelue M.D, Ph.D., ²;

Darawan Promchan, RN,³; Praisuda Bualoy, RN,³;

¹Department of Surgery, Songklanagarind Hospital, Faculty of Medicine, Prince of Songkla University, Songkhla, Thailand

² Division of Internal medicine, Songklanagarind Hospital, Faculty of Medicine, Prince of Songkla University, Songkhla, Thailand

³ Department of Surgical Nursing, Faculty of Nursing, Prince of Songkla University, Songkhla, Thailand.







[] I have no potential conflict of interest to report







Objective

- Assess long-term metabolic resolution after bariatric surgery
- Identify factors influencing these outcomes

Methods

- Design: Retrospective study
- Period: Jan 2012 Dec 2022
- Patients: 581 (LRYGB or LSG)
- Follow-Up: 5 years









Remission rate

Good predictive factors















Thank You!

Conclusion

Bariatric surgery shows significant improvement in metabolic comorbidities. Several factors have a significant impact on an outcome.















