# Management Of Recurrent Hiatus Hernia with Band Migration and Erosion with Gastro-Gastric Fistula After Robotic Roux-En-Y Bypass For Hiatus Hernia.

#### Past President and Trustee- Obesity Surgery Society of India (OSSI)

Past President- International Excellence Federation- (IEF)

India

Past President - All India Association Of Advancing Research in Obesity (AIAARO)

Founder- AMASI-Association of Minimally Access Surgeons of India

Founder- APBSS-Asia Pacific Bariatric Surgery Society

Editorial Board Member-Journal of Bariatric Surgery, OSSI

Vivian Fonseca Scholar Award by ADA- American Diabetes Association for RCT on metabolic surgery



#### DISCLOSURES

**CONSULTANT FOR** 

JOHNSON AND JOHNSON

NOVO NORDISC

ASTRA ZENECA



### Introduction

RYGB has been a preferred treatment option for hiatus hernia in patients with severe obesity. There are no definitive guidelines for treatment of recurrence of hiatus hernia after RYGB.



#### CASE HISTORY

The present case demonstrates treatment of a complicated recurrent hiatus hernia.

Methods: 39-year-old lady with history of robotic hiatus hernia repair with banded RYGB at a BMI of 43.2kg/m2 was referred to our centre, 2 years after RYGB with complaints of vomiting, heartburns, and weight regain.

Endoscopy and CT scan revealed partially eroded band with erosion into remnant stomach with gastro gastric fistula and herniated pouch in the hiatus.



### RESULTS & CONCLUSION

Results: Laparoscopic removal of band with upper partial gastrectomy of the remnant, revision of gastrojejunostomy and hiatal repair was performed. Patient became symptom free and lost the regained weight at 1 year after the  $2^{nd}$  procedure.

Conclusion: Laparoscopic revision of band erosion with fistula is safe and feasible with good results.



Title: Management Of Recurrent Hiatus Hernia with Band Migration and Erosion with Gastro-gastric Fistula After Previous Robotic Roux-En -Y Bypass For Hiatus Hernia

## THANK YOU!

