Patient perspective on weight bias and stigma in obesity management: impact and gender disparities.

Authors: Violeta Moizé; Jessica Farre; Joan Fernando Peidró; Eva Palou; Alba Andreu; Judit Molero; Ana De Hollanda; Josep Vidal; Olga Rubio; Joan Escarrabill.

Dr. Violeta Moizé Arcone Hospital Clinic Barcelona Vmoize@clinic.cat



XXVII IFSO World Congress




[X] I have no potential conflict of interest to report

XXVII IFSO World Congress



Background:

- Weight bias and obesity stigma permeate in healthcare.
- Healthcare professionals (HCP) harbour biased attitudes towards people living with obesity (PLWo) and those attitudes can impact on their health outcomes or even discourage them from seeking care.
- Thus, appalling patient experience can exacerbate morbidity and mortality.




XXVII IFSO World Congress



Aims:

- 1) Impact of internalized stigma, social stigma, and/or professional stigma among PLWo;
- 2) Obesity self-management associated factors;
- 3) Impact of obesity on fertility, sexuality, and self perceived feelings of "guilt", and "failure" associated to their weight trajectories..






XXVII IFSO World Congress



Methods:



→ From previously retrieved qualitative insights and customary domains of obesity Patient-Reported Experience Measurements, an ad hoc questionnaire was created to explore patient experience of PLWo.


→ The questionnaire was distributed as an anonymous digital survey to 2505 PLWo from Hospital Clinic Barcelona obesity program (69% underwent bariatric surgery).

 \rightarrow 34% completed the survey (n=853)

XXVII IFSO World Congress



Results




XXVII IFSO World Congress



Results

Stigma and gender (%) (n=853)

Stigma domain (%) (n=853)




XXVII IFSO World Congress

Barcelona

BARCELONA




Feeling of failure and RWG (%)



XXVII IFSO World Congress



Feeling of guilt and RWG (%)




XXVII IFSO World Congress



Results

Factors related to obesity self management (n=649)



What other factors influence obesity control ? The most named are:

- The social environment (n= 20)
- Stress (n = 10)
- Medication (n = 9)
- Self-esteem (n = 9)
- Constancy / willpower (n = 8)




XXVII IFSO World Congress



Clínic

Impact of obesity on: surgery procedure, fertility and sexuality (n=646)



XXVII IFSO World Congress



Conclusion:

- Gender disparity in obesity stigma unveils another neglected area particularly relevant to women's health.
- Patients perceive obesity as a chronic condition and recognize the influence of emotional and physical well-being on its control.
- Targeted interventions aimed at mitigating weight bias in healthcare settings are urgent for obesity management.





XXVII IFSO World Congress





13th Congress of the International Federation for the Surgery of Obesity (IFSO) European Chapter

15-17 May 2025 | Venice, Italy



IFSO-EC2025.COM

XXVII IFSO World Congress





Thank you for your attention!



XXVII IFSO World Congress



