



CAUSES OF REHOSPITALIZATION AFTER BARIATRIC SURGERY: A SINGLE CENTER EXPERIENCE FROM TERTIARY CARE HOSPITAL PESHAWAR, Pakistan.

Dr Zia Ullah, Prof Dr Mohammad Zarin.
Department of Surgery Khyber Teaching Hospital Peshawar, Pakistan



XXVII Ifso World Congress




Melbourne 2024

CONFLICT OF INTEREST DISCLOSURE

I have no potential conflict of interest to report

Background




DOI: 10.12998/wjcc.v11.i19.4504 Copyright ©The Author(s) 2023.

Objective


- To provide insights into the specific complications or issues related to surgery leading to postoperative hospital readmissions after bariatric surgery.

Material and Methods




Results


Gender Distribution in Study



Number of Surgeries Performed



Results



Endoscopy Finding	Number of Cases	Percentage
Marginal Ulcers	2	0.37%
Anastomotic Stricture	1	0.18%
Normal Findings	3	
Total	6	

Conclusion

Understanding the causes of rehospitalization is crucial for optimizing patient care and refining surgical approaches. Addressing these complications may contribute to a reduction in postoperative rehospitalization rates, ultimately improving the overall success and safety of bariatric surgery.

References

1. "Renew Bariatrics. Obesity Statistics & Facts: 2022 – Causes, Complications & Treatments. Renew Bariatrics; 2022 Oct 19. Available from: <https://renewbariatrics.com/obesity-statistics/>“
2. American Society for Metabolic and Bariatric Surgery (ASMBS). Estimate of Bariatric Surgery Numbers, 2011-2021. ASMBS; [accessed 2024 Feb 4]. Available from: <https://asmbs.org/resources/estimate-of-bariatric-surgery-numbers>.
3. Centers for Disease Control and Prevention (CDC). Data & Statistics | Overweight & Obesity. CDC; [last reviewed 2022 Sep 24]. Available from: <https://www.cdc.gov/obesity/data/index.html>

Thank You